

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse anti Human CD4, conjugated with Biotin, IgG1, Clone: [7E14], Monoclonal NMB-0043

Artikelname	Mouse anti Human CD4, conjugated with Biotin, IgG1, Clone: [7E14], Monoclonal
Artikelnummer	NMB-0043
Hersteller Artikelnummer	0043
Alternativnummer	NMB-0043
Hersteller	NordicMubio
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC
Spezies Reaktivität	Human
Immunogen	Derived from the hybridization of mouse NS-1 myeloma cells with spleen cells from BALB/c mice immunized with human perherial blood T lymphocytes.
Konjugation	Biotin
Produktbeschreibung	Identification of human helper/inducer T cells expressing the 60,000 M.W. surface antigen (HLA class II reactive). CD4 is present in low density on monocytes....
Klonalität	Monoclonal
Konzentration	Titered for flow cytometry

Klon-Bezeichnung	[7E14]
Isotyp	IgG1
UniProt	P01730
Puffer	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Reinheit	Protein A/G Chromatography
Formulierung	Biotin
Formel	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Anwendungsbeschreibung	PBMC: Add 10 µl of MAB/106 PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 20 to 30°C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently and incubate for 15 minutes at room temperature 20°C. Lyse the whole blood. Wash once with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. See instrument manufacturers instructions for Lysed Whole Blood and Immunofluorescence analysis with a flow cytometer or microscope. ALLOPHYCOCYANIN : (APC) conjugates are analyzed in multi-color flow cytometry with instruments equipped with a second laser and proper filters. Laser excitation is at 633 nm with a Helium Neon (HeNe) laser or a 600-640 nm (633 nm) range for a Dye laser. Peak fluorescence emission is at 660 nm. RPE-Cy-5 +: Use 5 µl of solution, rather than 10 µl as above. Excites at 488nm and emits at 670nm. Store protected from light.