

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse anti Human CD35, conjugated with FITC, IgG1, Clone: [AR2], Monoclonal NMB-0352

Artikelname	Mouse anti Human CD35, conjugated with FITC, IgG1, Clone: [AR2], Monoclonal
Artikelnummer	NMB-0352
Hersteller Artikelnummer	0352
Alternativnummer	NMB-0352
Hersteller	NordicMubio
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC
Spezies Reaktivität	Human
Immunogen	CD35=Derived from the hybridization of mouse SP2/0 cells with spleen cells of mice immunized with purified CR1
Konjugation	FITC
Produktbeschreibung	Complement Receptor-1 (CR-1), CD35 complex is four different allotypes (C,A,B,D) C is 160 kDa, A is 190 kDa, B is 220 kDa and D is 250 kDa. It is involved in the processing of immune complexes, promoting of binding and phagocytosis of C3b complexes a...
Klonalität	Monoclonal
Konzentration	Titered for flow cytometry

Klon-Bezeichnung	[AR2]
Isotyp	IgG1
UniProt	P17927
Puffer	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Reinheit	Protein A/G Chromatography
Formulierung	FITC
Formel	Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein
Anwendungsbeschreibung	PBMC: Add 10 µl of MAB/10⁶ PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8°C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently and incubate for 15 minutes at room temperature (20°C). Lyse the whole blood. Wash once with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. See instrument manufacturer's instructions for Lysed Whole Blood and Immunofluorescence analysis with a flow cytometer or microscope.