

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat anti Rat IgG1 IgG2a IgG2b IgG2c (heavy and light chains), conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-GARA/IGG(H+L)/FITC

Artikelname	Goat anti Rat IgG1 IgG2a IgG2b IgG2c (heavy and light chains), conjugated with FITC, Clone: [Polyclonal], Monoclonal
Artikelnummer	NMB-GARA/IGG(H+L)/FITC
Hersteller Artikelnummer	GARa/IgG(H+L)/FITC
Alternativnummer	NMB-GARA/IGG(H+L)/FITC
Hersteller	NordicMubio
Wirt	Goat
Kategorie	Antikörper
Spezies Reaktivität	Rat
Konjugation	FITC
Format	IgG
Spezifität	IgG (H+L)
Minimale Kreuzreaktivität (MinX)	no cross-adsorbtion
Produktbeschreibung	The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in rat serum, as t...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]

Puffer	FITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. It is reconstituted by adding 1 ml sterile distilled water, spun down to remove insoluble particles, divided into sma
Quelle	Purified normal IgG, including all known subclasses, isolated from pooled rat serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Formulierung	FITC
Formel	FITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added.
Antibody Type	Secondary Antibody
Anwendungsbeschreibung	ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence.