

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Donkey IgG anti-Goat IgG (H+L)-HRPO, MinX none ROC-605-703-002

|                                  |                                                                                                   |
|----------------------------------|---------------------------------------------------------------------------------------------------|
| Artikelname                      | Donkey IgG anti-Goat IgG (H+L)-HRPO, MinX none                                                    |
| Artikelnummer                    | ROC-605-703-002                                                                                   |
| Hersteller Artikelnummer         | 605-703-002                                                                                       |
| Alternativnummer                 | ROC-605-703-002                                                                                   |
| Hersteller                       | Rockland Immunochemicals                                                                          |
| Wirt                             | Donkey                                                                                            |
| Kategorie                        | Antikörper                                                                                        |
| Applikation                      | ELISA,IHC,WB                                                                                      |
| Spezies Reaktivität              | Goat                                                                                              |
| Immunogen                        | Anti-Goat IgG (H&L) was produced by repeated immunization with Goat IgG whole molecule in donkey. |
| Konjugation                      | HRPO                                                                                              |
| Format                           | IgG                                                                                               |
| Spezifität                       | IgG (H+L)                                                                                         |
| Minimale Kreuzreaktivität (MinX) | no cross-adsorbtion                                                                               |
| Klonalität                       | Polyclonal                                                                                        |
| Konzentration                    | 2.0 mg/mL by UV absorbance at 280 nm                                                              |
| Puffer                           | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2                                        |

|                        |                                                                                                                                                                                                                                                                |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Formulierung           | Lyophilized                                                                                                                                                                                                                                                    |
| Target-Kategorie       | Goat                                                                                                                                                                                                                                                           |
| Antibody Type          | Secondary Antibody                                                                                                                                                                                                                                             |
| Application Verdünnung | ELISA: 1:10,000 - 1:150,000, IHC: 1:500 - 1:2,500, WB: 1:1,000 - 1:5,000                                                                                                                                                                                       |
| Anwendungsbeschreibung | Anti-Goat IgG (H&L) is suitable for use in immunoelectrophoresis, western-blot, competitive western-blot, ELISA and competitive ELISA assays. It is also suitable in IHC. Specific conditions for reactivity and signal detection should be optimized by the e |