

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Complement C4d(C4D204), CF405S conjugate, 0.1mg/mL, Clone: [C4D204], Mouse, Monoclonal BOT-BNC040204-100

Artikelname	Complement C4d(C4D204), CF405S conjugate, 0.1mg/mL, Clone: [C4D204], Mouse, Monoclonal
Artikelnummer	BOT-BNC040204-100
Hersteller Artikelnummer	BNC040204-100
Alternativnummer	BOT-BNC040204-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IF, IHC
Spezies Reaktivität	Human
Immunogen	Recombinant human Complement 4d protein
Konjugation	CF405S
Produktbeschreibung	This MAb is specific to Complement 4d (C4d) and it reacts with the secreted as well as cell-bound C4d. C4d is a degradation product of the activated complement factor C4b. Complement 4b is typically activated by binding of Abs to specific target mole...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[C4D204]

Molekulargewicht	192 kDa (predicted)
UniProt	P0COL4
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology formalin-fixed 1:200-1:400 Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM Tris with 1 mM EDTA, pH 9.0, for 10-20 min followed by cooling at RT for 20 minutes Immunofluorescence 1:50-1:100 ELISA For coating use Ab at 1-2 ug/mL, order Ab without BSA Optimal dilution for a specific application should be determined by user