

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **SOX2 (Transcription Factor) (SOX2/1792), CF640R conjugate, 0.1mg/mL, Clone: [SOX2/1792], Mouse, Monoclonal BOT-BNC401792-100**

Artikelname	SOX2 (Transcription Factor) (SOX2/1792), CF640R conjugate, 0.1mg/mL, Clone: [SOX2/1792], Mouse, Monoclonal
Artikelnummer	BOT-BNC401792-100
Hersteller Artikelnummer	BNC401792-100
Alternativnummer	BOT-BNC401792-100-100UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant human SOX2 protein fragment (aa176-305) (exact sequence is proprietary)
Konjugation	CF640R
Produktbeschreibung	SOX2 is a member of the SRY-related HMG-box (SOX) family of transcription factors involved in the regulation of embryonic development and in the determination of cell fate. At present, 30 Sox genes have been identified. SOX2 is required for stem cell...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL

Klon-Bezeichnung	[SOX2/1792]
Molekulargewicht	34 kDa
UniProt	<a href="#">P48431</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL ELISA: 2-4 ug/mL for coating order Ab without BSA Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user