

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Myogenin(MGN185 + F5D), 1mg/mL, Clone: [MGN185 F5D], Mouse, Monoclonal BOT-BNUM1233-50

Artikelname	Myogenin(MGN185 + F5D), 1mg/mL, Clone: [MGN185 F5D], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1233-50
Hersteller Artikelnummer	BNUM1233-50
Alternativnummer	BOT-BNUM1233-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Feline, Human, Mouse, Porcine, Rat
Immunogen	Human myogenin recombinant protein (MGN185), Rat myogenin recombinant fragment containing amino acid 30-224 (F5D)
Produktbeschreibung	Myogenin is a member of the MyoD family of myogenic basic helix-loop-helix (bHLH) transcription factors that also includes MyoD, Myf-5, and MRF4 (also known as herculinor Myf-6). MyoD family members are expressed exclusively in skeletal muscle and pl...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[MGN185 F5D]

Molekulargewicht	34 kDa
UniProt	P15173
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user