

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **DOG-1 / TMEM16A (Gastrointestinal Stromal Tumor Marker) (DG1/1485), 1mg/mL, Clone: [DG1/1485], Mouse, Monoclonal BOT-BNUM1485-50**

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | DOG-1 / TMEM16A (Gastrointestinal Stromal Tumor Marker) (DG1/1485), 1mg/mL, Clone: [DG1/1485], Mouse, Monoclonal                                                                                                                                              |
| Artikelnummer            | BOT-BNUM1485-50                                                                                                                                                                                                                                               |
| Hersteller Artikelnummer | BNUM1485-50                                                                                                                                                                                                                                                   |
| Alternativnummer         | BOT-BNUM1485-50-50UL                                                                                                                                                                                                                                          |
| Hersteller               | Biotium                                                                                                                                                                                                                                                       |
| Wirt                     | Mouse                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | IHC                                                                                                                                                                                                                                                           |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | Recombinant human DOG-1 protein fragment (aa 2-101) (exact sequence is proprietary)                                                                                                                                                                           |
| Produktbeschreibung      | Expression of DOG-1 protein is elevated in the gastrointestinal stromal tumors (GIST s), c-kit signaling-driven mesenchymal tumors of the GI tract. DOG-1 is rarely expressed in other soft tissue tumors, which, due to appearance, may be difficult to d... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Konzentration            | 1 mg/mL                                                                                                                                                                                                                                                       |
| Klon-Bezeichnung         | [DG1/1485]                                                                                                                                                                                                                                                    |

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Molekulargewicht       | ~114 kDa                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| UniProt                | <a href="#">Q5XXA6</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Puffer                 | PBS, no BSA, no azide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Quelle                 | Animal                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Anwendungsbeschreibung | <p>Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin): 0.5-1 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Optimal dilution for a specific application should be determined by user</p> |