

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Stat5 (C-terminal region) Antibody, IgG1, Clone: [M251], Unconjugated, Mouse, Monoclonal BSS-BSM-70687M**

|                          |   |
|--------------------------|---|
| Artikelname              | Stat5 (C-terminal region) Antibody, IgG1, Clone: [M251], Unconjugated, Mouse, Monoclonal  |
| Artikelnummer            | BSS-BSM-70687M  |
| Hersteller Artikelnummer | bsm-70687M  |
| Alternativnummer         | BSS-BSM-70687M-100  |
| Hersteller               | Bioss   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | WB  |
| Spezies Reaktivität      | Human, Mouse, Rat   |
| Konjugation              | Unconjugated  |
| Produktbeschreibung      | The stat proteins function both as cytoplasmic signal transducers and as activators of transcription. Stat5 is activated in response to a wide variety of ligands including IL-2, GM-CSF, growth hormone, and prolactin. Phosphorylation at Tyr-694 is req... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [M251]  |
| Isotyp                   | IgG1  |
| UniProt                  | <a href="#">P42229</a>  |

|                        |   |
|------------------------|---|
| Puffer                 | PBS + 1 mg/ml BSA, 0.05% NaN <sub>3</sub> and 50% glycerol  |
| Quelle                 | Clone (M251) was generated from a recombinant protein that included amino acid residues in the C-terminal region of human Stat5A. |
| Target-Kategorie       | Stat5 (C-terminal region)   |
| Application Verdünnung | WB(1:300-5000)  |