

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Gastric Intrinsic Factor Antibody / GIF / CBLIF, Rabbit, Polyclonal NSJ-F54661-0.4ML

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Gastric Intrinsic Factor Antibody / GIF / CBLIF, Rabbit, Polyclonal                                                                                                                                                                                           |
| Artikelnummer            | NSJ-F54661-0.4ML                                                                                                                                                                                                                                              |
| Hersteller Artikelnummer | F54661-0.4ML                                                                                                                                                                                                                                                  |
| Alternativnummer         | NSJ-F54661-0.4ML                                                                                                                                                                                                                                              |
| Hersteller               | NSJ Bioreagents                                                                                                                                                                                                                                               |
| Wirt                     | Rabbit                                                                                                                                                                                                                                                        |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | FACS, IF, IHC-P, WB                                                                                                                                                                                                                                           |
| Spezies Reaktivität      | Human                                                                                                                                                                                                                                                         |
| Immunogen                | A portion of amino acids 189-218 from the human protein was used as the immunogen for the Gastric Intrinsic Factor antibody.                                                                                                                                  |
| Produktbeschreibung      | This gene is a member of the cobalamin transport protein family. It encodes a glycoprotein secreted by parietal cells of the gastric mucosa and is required for adequate absorption of vitamin B12. Vitamin B12 is necessary for erythrocyte maturation an... |
| Klonalität               | Polyclonal                                                                                                                                                                                                                                                    |
| UniProt                  | <a href="#">P27352</a>                                                                                                                                                                                                                                        |
| Reinheit                 | Antigen affinity purified                                                                                                                                                                                                                                     |
| Formulierung             | In 1X PBS, pH 7.4, with 0.09% sodium azide                                                                                                                                                                                                                    |

|                        |                                                                                                                                                                                                              |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Antibody Type          | Primary Antibody                                                                                                                                                                                             |
| Application Verdünnung | Flow cytometry: 1:25 (1x10e6 cells), Immunofluorescence: 1:25, Immunohistochemistry (FFPE): 1:25, Western blot: 1:500-1:2000                                                                                 |
| Anwendungsbeschreibung | The stated application concentrations are suggested starting points. Titration of the Gastric Intrinsic Factor antibody may be required due to differences in protocols and secondary/substrate sensitivity. |