

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

TRP1 Antibody / Tyrosinase-Related Protein-1 Antibody / TYRP1, Clone: [SPM611], Mouse, Monoclonal NSJ-V2917IHC-7ML

Artikelname	TRP1 Antibody / Tyrosinase-Related Protein-1 Antibody / TYRP1, Clone: [SPM611], Mouse, Monoclonal
Artikelnummer	NSJ-V2917IHC-7ML
Hersteller Artikelnummer	V2917IHC-7ML
Alternativnummer	NSJ-V2917IHC-7ML
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human, Mouse
Immunogen	Recombinant full-length human protein was used as the immunogen for the TRP1 antibody.
Produktbeschreibung	It reacts with a 75kDa melanocyte-specific gene product, identified as Tyrosinase-related protein-1 (TRP-1). It is involved in melanin synthesis. TRP1 is present on the melanosomal membranes of melanoma, normal melanocytes and nevi. Recent evidence s...
Klonalität	Monoclonal
Klon-Bezeichnung	[SPM611]
UniProt	P17643

Reinheit	Protein G affinity chromatography
Formulierung	Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*
Antibody Type	Primary Antibody
Application Verdünnung	The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.
Anwendungsbeschreibung	Optimal dilution of the TRP1 antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Tris with 1mM EDTA, pH 9, for 10-20 min followed by cooling at RT for 20 min.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.