

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Anti-vWF Antibody, Clone: [IIIE2.34], Mouse, Monoclonal NSJ-V2929-20UG

Artikelname	Anti-vWF Antibody, Clone: [IIIE2.34], Mouse, Monoclonal
Artikelnummer	NSJ-V2929-20UG
Hersteller Artikelnummer	V2929-20UG
Alternativnummer	NSJ-V2929-20UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC-P
Spezies Reaktivität	Human
Immunogen	A recombinant human protein fragment spanning aa 845-949 was used as the immunogen for the anti-vWF antibody.
Produktbeschreibung	von Willebrand Factor (vWF) is a multimeric glycoprotein that is found in endothelial cells, plasma and platelets. It acts as a carrier protein for Factor VIII and promotes platelet adhesion and aggregation. vWF undergoes a variety of posttranslation...
Klonalität	Monoclonal
Klon-Bezeichnung	[IIIE2.34]
UniProt	<a href="#">P04275</a>
Reinheit	Protein G affinity chromatography

Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Verdünnung	Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT
Anwendungsbeschreibung	Optimal dilution of the anti-vWF antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min.