

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### CD5 Antibody, Clone: [B-B8], Mouse, Monoclonal NSJ-V2960-20UG

|                          |   |
|--------------------------|---|
| Artikelname              | CD5 Antibody, Clone: [B-B8], Mouse, Monoclonal  |
| Artikelnummer            | NSJ-V2960-20UG  |
| Hersteller Artikelnummer | V2960-20UG  |
| Alternativnummer         | NSJ-V2960-20UG  |
| Hersteller               | NSJ Bioreagents   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FACS, IF  |
| Spezies Reaktivität      | Human   |
| Immunogen                | T cells activated with PHA were used as the immunogen for the CD5 antibody.   |
| Produktbeschreibung      | Recognizes a 67kDa transmembrane protein which is identified as CD5. The CD5 antigen is found on 95% of thymocytes and 72% of peripheral blood lymphocytes. In lymph nodes, the main reactivity is observed in T cell areas. Anti-CD5 is a pan T-cell mark... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [B-B8]  |
| UniProt                  | <a href="#">P06127</a>  |
| Reinheit                 | Protein G affinity chromatography   |

|                        |   |
|------------------------|---|
| Formulierung           | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide    |
| Antibody Type          | Primary Antibody  |
| Application Verdünnung | Flow cytometry: 0.5-1ug/10 <sup>6</sup> cells, Immunofluorescence: 0.5-1ug/ml |
| Anwendungsbeschreibung | Optimal dilution of the CD5 antibody should be determined by the researcher.  |