

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Glypican 3 Antibody / GPC3 / Rabbit Monoclonal, Clone: [SGPN3-2R] NSJ-V3715SAF-100UG

| | |
|--------------------------|---|
| Artikelname | Recombinant Glypican 3 Antibody / GPC3 / Rabbit Monoclonal, Clone: [SGPN3-2R] |
| Artikelnummer | NSJ-V3715SAF-100UG |
| Hersteller Artikelnummer | V3715SAF-100UG |
| Alternativnummer | NSJ-V3715SAF-100UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | FACS, IF, IHC-P |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human protein was used as the immunogen for the recombinant Glypican 3 antibody. |
| Produktbeschreibung | Glypican-3 is a proteoglycan that bears heparan sulfate. Inhibits the dipeptidyl peptidase activity of DPP4. May be involved in the suppression/modulation of growth in the predominantly mesodermal tissues and organs. May play a role in the modulation... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [SGPN3-2R] |
| UniProt | P51654 |

| | |
|------------------------|--|
| Reinheit | Protein A affinity chromatography |
| Formulierung | 1 mg/ml in 1X PBS, BSA free, sodium azide free |
| Antibody Type | Primary Antibody |
| Application Verdünnung | Flow cytometry: 1-2ug/million cells, Immunofluorescence: 1-2ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT, Prediluted IHC only format: incubate for 30 min at RT (1) |
| Anwendungsbeschreibung | The stated application concentrations are suggested starting points. Titration of the recombinant Glypican 3 antibody may be required due to differences in protocols and secondary/substrate sensitivity.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |