

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Recombinant CD20 Antibody, Clone: [rIGEL/773], Mouse, Monoclonal NSJ-V3727-100UG

Artikelname	Recombinant CD20 Antibody, Clone: [rIGEL/773], Mouse, Monoclonal
Artikelnummer	NSJ-V3727-100UG
Hersteller Artikelnummer	V3727-100UG
Alternativnummer	NSJ-V3727-100UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	FACS, IF, IHC-P, WB
Spezies Reaktivität	Human
Immunogen	Human CD20 protein was used as the immunogen for this recombinant CD20 antibody.
Produktbeschreibung	Recognizes a protein of 30-33kDa, which is identified as CD20. It is a non-Ig differentiation antigen of B-cells and its expression is restricted to normal and neoplastic B-cells, being absent from all other leukocytes and tissues. CD20 is expressed ...
Klonalität	Monoclonal
Klon-Bezeichnung	[rIGEL/773]
UniProt	<a href="#">P11836</a>
Reinheit	Protein G affinity chromatography

Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Antibody Type	Primary Antibody
Application Verdünnung	Immunofluorescence: 1-3ug/ml,Flow cytometry: 1-2ug/million cells,Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT,Western blot: 2-4ug/ml
Anwendungsbeschreibung	Titering of the recombinant CD20 antibody may be required for optimal performance.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.