

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant CDX2 Antibody, Clone: [CDX2/2951R], Rabbit, Monoclonal NSJ-V3964SAF-100UG

| | |
|--------------------------|---|
| Artikelname | Recombinant CDX2 Antibody, Clone: [CDX2/2951R], Rabbit, Monoclonal |
| Artikelnummer | NSJ-V3964SAF-100UG |
| Hersteller Artikelnummer | V3964SAF-100UG |
| Alternativnummer | NSJ-V3964SAF-100UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | ELISA, IHC-P |
| Spezies Reaktivität | Human |
| Immunogen | Amino acids 150-249 from the human protein were used as the immunogen for this recombinant CDX2 antibody. |
| Produktbeschreibung | The intestine-specific transcription factors CDX1 and CDX2 are important for directing intestinal development, differentiation, proliferation and maintenance of the intestinal phenotype. CDX2 protein expression has been seen in GI carcinomas. Anti-CD... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [CDX2/2951R] |
| UniProt | Q99626 |
| Reinheit | Protein A affinity chromatography |

| | |
|------------------------|--|
| Formulierung | 1 mg/ml in 1X PBS, BSA free, sodium azide free |
| Antibody Type | Primary Antibody |
| Application Verdünnung | ELISA: 2-4ug/ml (order BSA/azide-free format), Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT |
| Anwendungsbeschreibung | The concentration stated for each application is a general starting point. Variations in protocols, secondaries and substrates may require the recombinant CDX2 antibody to be titered up or down for optimal performance.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |