

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MAPK14 Antibody / p38 MAPK, Clone: [CPTC-MAPK14-1], Mouse, Monoclonal NSJ-V3973IHC-7ML

| | |
|--------------------------|---|
| Artikelname | MAPK14 Antibody / p38 MAPK, Clone: [CPTC-MAPK14-1], Mouse, Monoclonal |
| Artikelnummer | NSJ-V3973IHC-7ML |
| Hersteller Artikelnummer | V3973IHC-7ML |
| Alternativnummer | NSJ-V3973IHC-7ML |
| Hersteller | NSJ Bioreagents |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC-P |
| Spezies Reaktivität | Human |
| Immunogen | Full length recombinant human protein was used as the immunogen for the MAPK14 antibody. |
| Produktbeschreibung | The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcri... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [CPTC-MAPK14-1] |
| UniProt | Q16539 |

| | |
|------------------------|---|
| Reinheit | Protein G affinity chromatography |
| Formulierung | Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only* |
| Antibody Type | Primary Antibody |
| Application Verdünnung | The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |
| Anwendungsbeschreibung | Optimal dilution of the MAPK14 antibody should be determined by the researcher.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |