

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Recombinant CD68 Antibody, Clone: [CDLA68-3R], Rabbit, Monoclonal NSJ-V3996SAF-100UG

Artikelname	Recombinant CD68 Antibody, Clone: [CDLA68-3R], Rabbit, Monoclonal
Artikelnummer	NSJ-V3996SAF-100UG
Hersteller Artikelnummer	V3996SAF-100UG
Alternativnummer	NSJ-V3996SAF-100UG
Hersteller	NSJ Bioreagents
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC-P, WB
Spezies Reaktivität	Human
Immunogen	Full length recombinant human protein was used as the immunogen for the recombinant CD68 antibody.
Produktbeschreibung	CD68 could play a role in phagocytic activities of tissue macrophages, both in intracellular lysosomal metabolism and extracellular cell-cell and cell-pathogen interactions. Binds to tissue- and organ-specific lectins or selectins, allowing homing of...
Klonalität	Monoclonal
Klon-Bezeichnung	[CDLA68-3R]
UniProt	<a href="#">P34810</a>
Reinheit	Protein A affinity chromatography

Formulierung	1 mg/ml in 1X PBS, BSA free, sodium azide free
Antibody Type	Primary Antibody
Application Verdünnung	Western blot: 1-2ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT, Prediluted IHC only format: incubate for 30 min at RT (1)
Anwendungsbeschreibung	The stated application concentrations are suggested starting points. Titration of the recombinant CD68 antibody may be required due to differences in protocols and secondary/substrate sensitivity. 1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.