

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

PRL Antibody / Prolactin, Clone: [PLCN-1], Mouse, Monoclonal NSJ-V7606-100UG

| | |
|--------------------------|---|
| Artikelname | PRL Antibody / Prolactin, Clone: [PLCN-1], Mouse, Monoclonal |
| Artikelnummer | NSJ-V7606-100UG |
| Hersteller Artikelnummer | V7606-100UG |
| Alternativnummer | NSJ-V7606-100UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC-P |
| Spezies Reaktivität | Human |
| Immunogen | A recombinant human partial protein corresponding to amino acids 63-201 was used as the immunogen for the PRL antibody. |
| Produktbeschreibung | The PRL gene encodes the anterior pituitary hormone prolactin. This secreted hormone is a growth regulator for many tissues, including cells of the immune system. It may also play a role in cell survival by suppressing apoptosis, and it is essential ... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [PLCN-1] |
| UniProt | P01236 |
| Reinheit | Protein G affinity chromatography |

| | |
|------------------------|--|
| Formulierung | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide |
| Antibody Type | Primary Antibody |
| Application Verdünnung | Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT, Prediluted IHC only format: incubate for 30 min at RT (1) |
| Anwendungsbeschreibung | Optimal dilution of the PRL antibody should be determined by the researcher.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |