

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant EpCAM Antibody / Extracellular domain, Clone: [EGP40/2041R], Unconjugated, Rabbit BYT-ORB2640532**

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Recombinant EpCAM Antibody / Extracellular domain, Clone:<br>[EGP40/2041R], Unconjugated, Rabbit                                                                                                                                                              |
| Artikelnummer            | BYT-ORB2640532                                                                                                                                                                                                                                                |
| Hersteller Artikelnummer | orb2640532                                                                                                                                                                                                                                                    |
| Alternativnummer         | BYT-ORB2640532-100                                                                                                                                                                                                                                            |
| Hersteller               | Biorbyt                                                                                                                                                                                                                                                       |
| Wirt                     | Rabbit                                                                                                                                                                                                                                                        |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | IHC-P, WB                                                                                                                                                                                                                                                     |
| Spezies Reaktivität      | Canine, Feline, Human                                                                                                                                                                                                                                         |
| Immunogen                | A portion of amino acids 100-224 (extracellular domain) was used as the immunogen for the recombinant EpCAM antibody.                                                                                                                                         |
| Konjugation              | Unconjugated                                                                                                                                                                                                                                                  |
| Produktbeschreibung      | EpCAM is frequently upregulated in carcinomas but is not expressed in cancers of non-epithelial origin. EpCAM expression is not limited to human colon carcinomas, in fact, EpCAM is expressed in a variety of human epithelial tissues, carcinomas, and p... |
| Klonalität               | Recombinant                                                                                                                                                                                                                                                   |
| Klon-Bezeichnung         | [EGP40/2041R]                                                                                                                                                                                                                                                 |

|                        |                                                                                                                                                                                                                                                                                                                     |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UniProt                | <a href="#">P16422</a>                                                                                                                                                                                                                                                                                              |
| Puffer                 | 1 mg/ml in 1X PBS, rAlbumin free, sodium azide free                                                                                                                                                                                                                                                                 |
| Application Verdünnung | Western blot: 1-2ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT                                                                                                                                                                                                                                      |
| Anwendungsbeschreibung | Application Notes: Titering of the recombinant EpCAM antibody may be required for optimal performance.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min |