

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

PECAM1 Antibody, Clone: [C31.7], Unconjugated, Mouse, Monoclonal BYT-ORB1252720

Artikelname	PECAM1 Antibody, Clone: [C31.7], Unconjugated, Mouse, Monoclonal
Artikelnummer	BYT-ORB1252720
Hersteller Artikelnummer	orb1252720
Alternativnummer	BYT-ORB1252720-100
Hersteller	Biorbyt
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Human, Primate, Rabbit
Immunogen	Human recombinant PECAM-1 / CD31 protein was used as the immunogen for this antibody.
Konjugation	Unconjugated
Produktbeschreibung	PECAM1 Antibody...
Klonalität	Monoclonal
Konzentration	0.2 mg/mL
Klon-Bezeichnung	[C31.7]
UniProt	P16284
Puffer	PBS with 0.1 mg/ml rAlbumin and 0.05% sodium azide

Formulierung	Liquid
Target-Kategorie	PECAM1
Anwendungsbeschreibung	Application Notes: Flow Cytometry: 0.5-1ug/10e6 cellsIF: 1-2 µg/mLWB: 0.5-1 µg/mL IHC (FFPE): 0.5-1 µg/mL for 30 minutes at RT (1)Prediluted format : incubate for 30 min at RT (2)The concentration stated for each application is a general starting point. Variations in protocols, secondaries and substrates may require the PECAM-1 antibody to be titered up or down for optimal performance.1. Staining of formalin-fixed tissues requires boiling tissue sections in 1mM EDTA, pH 7.5-8.5, for 10-20 min followed by cooling at RT for 20 minutes.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min