

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD63 Antibody / LAMP-3, Clone: [NKI/C3], Unconjugated, Mouse, Monoclonal BYT-ORB749335**

Artikelname	CD63 Antibody / LAMP-3, Clone: [NKI/C3], Unconjugated, Mouse, Monoclonal
Artikelnummer	BYT-ORB749335
Hersteller Artikelnummer	orb749335
Alternativnummer	BYT-ORB749335-20,BYT-ORB749335-100
Hersteller	Biorbyt
Wirt	Mouse
Kategorie	Antikörper
Applikation	FACS, IF, IHC-P
Spezies Reaktivität	Human, Mouse
Immunogen	The smooth plasma membrane fraction of MeWo cells was used as the immunogen for this CD63 antibody.
Konjugation	Unconjugated
Produktbeschreibung	The tetraspanins are integral membrane proteins expressed on cell surface and granular membranes of hematopoietic cells and are components of multi-molecular complexes with specific integrins. The tetraspanin CD63 is a lysosomal membrane glycoprotein...
Klonalität	Monoclonal
Klon-Bezeichnung	[NKI/C3]

Puffer	0.2 mg/ml in 1X PBS with 0.1 mg/ml rAlbumin and 0.05% sodium azide
Application Verdünnung	Flow cytometry: 1-2ug/10 <sup>6</sup> cells, Immunofluorescence: 1-2ug/ml, Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT
Anwendungsbeschreibung	<p>Application Notes: The concentration stated for each application is a general starting point. Variations in protocols, secondaries and substrates may require the antibody to be titered up or down for optimal performance.</p> <p>1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate Buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes.</p> <p>2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min</p>