

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Anti-Hu CD3 Purified, Clone: [SK7], Monoclonal EXB-11-173-C100

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Anti-Hu CD3 Purified, Clone: [SK7], Monoclonal                                                                                                                                                                                                                |
| Artikelnummer            | EXB-11-173-C100                                                                                                                                                                                                                                               |
| Hersteller Artikelnummer | 11-173-C100                                                                                                                                                                                                                                                   |
| Alternativnummer         | EXB-11-173-C100                                                                                                                                                                                                                                               |
| Hersteller               | EXBIO                                                                                                                                                                                                                                                         |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Applikation              | FC, ICC, IHC-Fr, WB                                                                                                                                                                                                                                           |
| Spezies Reaktivität      | Human, Primate                                                                                                                                                                                                                                                |
| Immunogen                | Human thymocytes                                                                                                                                                                                                                                              |
| Produktbeschreibung      | CD3 complex is crucial in transducing antigen-recognition signals into the cytoplasm of T cells and in regulating the cell surface expression of the TCR complex. T cell activation through the antigen receptor (TCR) involves the cytoplasmic tails of t... |
| Klonalität               | Monoclonal                                                                                                                                                                                                                                                    |
| Konzentration            | 1 mg/ml                                                                                                                                                                                                                                                       |
| Klon-Bezeichnung         | [SK7]                                                                                                                                                                                                                                                         |
| Isotyp                   | Mouse IgG1 kappa                                                                                                                                                                                                                                              |
| Puffer                   | Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide                                                                                                                                                                                                   |
| Lagerung                 | 2°C to 8°C                                                                                                                                                                                                                                                    |

|                        |                                                                                                                                                      |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Target-Kategorie       | CD3                                                                                                                                                  |
| Antibody Type          | Monoclonal Antibody                                                                                                                                  |
| Anwendungsbeschreibung | Flow cytometry: Recommended dilution: 0.5-3 µg/ml. Extracellular and intracellular staining. Immunohistochemistry: Recommended dilution: 5-10 µg/ml. |