

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat anti-Mouse IgG (H&L), TRITC conjugated, min, cross-reactivity to human IgG/serum, Polyclonal AGR-AS10-1049

|                          |                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Artikelname              | Goat anti-Mouse IgG (H&L), TRITC conjugated, min, cross-reactivity to human IgG/serum, Polyclonal                                                                                                                                                             |
| Artikelnummer            | AGR-AS10-1049                                                                                                                                                                                                                                                 |
| Hersteller Artikelnummer | AS10-1049                                                                                                                                                                                                                                                     |
| Alternativnummer         | AGR-AS10-1049                                                                                                                                                                                                                                                 |
| Hersteller               | Agrisera                                                                                                                                                                                                                                                      |
| Wirt                     | Goat                                                                                                                                                                                                                                                          |
| Kategorie                | Antikörper                                                                                                                                                                                                                                                    |
| Konjugation              | tritic                                                                                                                                                                                                                                                        |
| Produktbeschreibung      | Goat anti-mouse IgG (H&L), Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated, is a secondary antibody which binds to all mouse IgGs in immunological assays. TRITC has Amax = 550 nm, Emax = 570 nm. Antibodies are adsorbed against huma... |
| Klonalität               | Polyclonal                                                                                                                                                                                                                                                    |
| Reinheit                 | Immunogen affinity purified IgG.                                                                                                                                                                                                                              |
| Formulierung             | Lyophilized                                                                                                                                                                                                                                                   |
| Antibody Type            | Polyclonal Antibody                                                                                                                                                                                                                                           |
| Application Verdünnung   | The optimal working dilution should be determined by the investigator                                                                                                                                                                                         |

|                        |                                                                                                                                                |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Anwendungsbeschreibung | For reconstitution add 1,1 ml of sterile water, Let it stand 30 minutes at room temperature to dissolve, Prepare fresh working dilutions daily |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|