

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Mouse anti Human CD54, IgG2b, Clone: [D3.6], Unconjugated, Monoclonal NMB-0541

Article Name	Mouse anti Human CD54, IgG2b, Clone: [D3.6], Unconjugated, Monoclonal
Biozol Catalog Number	NMB-0541
Supplier Catalog Number	0541
Alternative Catalog Number	NMB-0541
Manufacturer	NordicMubio
Host	Mouse
Category	Antikörper
Application	FC
Species Reactivity	Human
Immunogen	CD54=Derived from the hybridization of mouse NS-1 myeloma cells with spleen cells from BALB/c mice immunized with the major histocompatibility complex (MHC) class II-negative human b-lymphoblastoid cell line 6.16c13
Conjugation	Unconjugated
Product Description	CD54, M.W. 90,000, antigen is the Intercellular Adhesion Molecule-1 (ICAM-1) and is the ligand for LFA-1 mediated adhesion. CD54 is weakly expressed on peripheral blood leukocytes. Upon activation the antigen is expressed strongly on B cells, T cells...
Clonality	Monoclonal
Concentration	See vial for concentration

Clone Designation	[D3.6]
Isotype	IgG2b
UniProt	P05362
Buffer	Provided as solution in phosphate buffered saline with 0.08% sodium azide
Purity	Protein A/G Chromatography
Form	Unconjugated
Formula	Provided as solution in phosphate buffered saline with 0.08% sodium azide
Application Notes	PBMC: Add 10 µl of MAB/10⁶ PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8 C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently and incubate for 15 minutes at room temperature 20 C. Lyse the whole blood. Wash once with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. See instrument manufacturers instructions for Lysed Whole Blood and Immunofluorescence analysis with a flow cytometer or microscope.