

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Donkey IgG anti-Goat IgG (H+L)-Biotin, MinX none ROC-605-706-002

|                            |                                                                                                   |
|----------------------------|---------------------------------------------------------------------------------------------------|
| Article Name               | Donkey IgG anti-Goat IgG (H+L)-Biotin, MinX none                                                  |
| Biozol Catalog Number      | ROC-605-706-002                                                                                   |
| Supplier Catalog Number    | 605-706-002                                                                                       |
| Alternative Catalog Number | ROC-605-706-002                                                                                   |
| Manufacturer               | Rockland Immunochemicals                                                                          |
| Host                       | Donkey                                                                                            |
| Category                   | Antikörper                                                                                        |
| Application                | ELISA,IHC,WB                                                                                      |
| Species Reactivity         | Goat                                                                                              |
| Immunogen                  | Anti-Goat IgG (H&L) was produced by repeated immunization with goat IgG whole molecule in donkey. |
| Conjugation                | Biotin                                                                                            |
| Format                     | IgG                                                                                               |
| Target Specificity         | IgG (H+L)                                                                                         |
| Cross-Adsorption (MinX)    | no cross-adsorbtion                                                                               |
| Clonality                  | Polyclonal                                                                                        |
| Concentration              | 2.0 mg/mL by UV absorbance at 280 nm                                                              |
| Buffer                     | 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2                                        |
| Form                       | Lyophilized                                                                                       |

|                    |                                                                                                                                                                                                                                                               |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Target             | Goat                                                                                                                                                                                                                                                          |
| Antibody Type      | Secondary Antibody                                                                                                                                                                                                                                            |
| Application Dilute | ELISA: 1:200,000 - 1:250,000, IHC: 1:1,000 - 1:5,000, WB: 1:2,000 - 1:10,000                                                                                                                                                                                  |
| Application Notes  | Anti-Goat IgG Biotin Conjugated Antibody has been tested by ELISA and Dot blot and is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody-based enzymatic assays requiring |