

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **TRAcP (Tartrate-Resistant Acid Phosphatase) (Hairy Cell Leukemia Marker) (rACP5/1070), CF647 conjugate, 0.1mg/mL, IgG1, Clone: [rACP5/1070], Mouse, Monoclonal BOT-BNC472337-100**

Article Name	TRAcP (Tartrate-Resistant Acid Phosphatase) (Hairy Cell Leukemia Marker) (rACP5/1070), CF647 conjugate, 0.1mg/mL, IgG1, Clone: [rACP5/1070], Mouse, Monoclonal
Biozol Catalog Number	BOT-BNC472337-100
Supplier Catalog Number	BNC472337-100
Alternative Catalog Number	BOT-BNC472337-100-100UL
Manufacturer	Biotium
Host	Mouse
Category	Antikörper
Application	IHC
Species Reactivity	Human, Mouse, Rat
Immunogen	Recombinant full-length human ACP5 protein
Conjugation	CF647
Product Description	This antibody recognizes a protein of 35 kDa, which is identified as tartrate-resistant acid phosphatase (TRAcP). It exists as two isoforms (5a and 5b). This MAb reacts with both the isoforms. Serum TRAcP 5a is secreted by macrophages and dendritic c...
Clonality	Monoclonal
Concentration	0.1 mg/mL

Clone Designation	[rACP5/1070]
Molecular Weight	35 kDa
Isotype	IgG1
UniProt	<a href="#">P13686</a>
Buffer	PBS, 0.1% BSA, 0.05% azide
Source	Animal
Application Notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunohistology (formalin): 0.5-1 ug/mL for 30 minutes at RT Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes Optimal dilution for a specific application should be determined by user