

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### Donkey IgG anti-Goat IgG (H+L)-Alk. Phos., MinX none JIM-705-055-003

|                            |                                                                                                                                                   |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name               | Donkey IgG anti-Goat IgG (H+L)-Alk. Phos., MinX none                                                                                              |
| Biozol Catalog Number      | JIM-705-055-003                                                                                                                                   |
| Supplier Catalog Number    | 705-055-003                                                                                                                                       |
| Alternative Catalog Number | JIM-705-055-003                                                                                                                                   |
| Manufacturer               | Jackson ImmunoResearch                                                                                                                            |
| Host                       | Donkey                                                                                                                                            |
| Category                   | Antikörper                                                                                                                                        |
| Species Reactivity         | Goat                                                                                                                                              |
| Conjugation                | Alk. Phos.                                                                                                                                        |
| Format                     | IgG                                                                                                                                               |
| Target Specificity         | IgG (H+L)                                                                                                                                         |
| Cross-Adsorption (MinX)    | no cross-adsorbtion                                                                                                                               |
| Clonality                  | Polyclonal                                                                                                                                        |
| Buffer                     | Buffer: 0.01M Tris-HCl, 0.25M NaCl, pH 8.0. Stabilizer: 15 mg/ml Bovine Serum Albumin (IgG-Free, Protease-Free). Preservative: 0.05% Sodium Azide |
| Purity                     | AffiniPure                                                                                                                                        |
| Form                       | Freeze-dried solid                                                                                                                                |

|                    |                                                                                                                                                                                                                                                                            |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage            | Storage and Rehydration: Store freeze-dried solid at 2-8°C. Rehydrate with the indicated volume of dH <sub>2</sub> O and centrifuge if not clear. Prepare working dilution on day of use. Product is stable for about 6 weeks at 2-8°C as an undiluted liquid. Extended... |
| Antibody Type      | Secondary Antibody                                                                                                                                                                                                                                                         |
| Application Dilute | ELISA:- 1:5,000-1:50,000Western Blot:- 1:5,000-1:50,000Dilution factors are presented in the form of a range because the optimal dilution is a function of many factors, such as antigen density, permeability, etc. The actual dilution used must be...                   |