

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Human TGF beta 1 protein, His tag, Unconjugated GTX00101-PRO

Article Name	Human TGF beta 1 protein, His tag, Unconjugated
Biozol Catalog Number	GTX00101-PRO
Supplier Catalog Number	GTX00101-pro
Alternative Catalog Number	GTX00101-PRO-10
Manufacturer	GeneTex
Category	Proteine/Peptide
Application	FA
Species Reactivity	Human
Conjugation	Unconjugated
NCBI	7040
UniProt	P01137
Buffer	Reconstitute with 20mM Tris and 150mM NaCl to 0.1-1.0mg/ml. Do not vortex. Lyophilized from 20mM Tris, 150mM NaCl, 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose, ProClin 300.
Expression System	E. coli
Form	Lyophilized powder
Sequence	N-terminal His-Tag, Ala279~Ser390 (NP_000651.3)

Application Notes	TGF-beta1 (Transforming growth factor beta 1) is a multifunctional set of peptides that controls proliferation, differentiation, and other functions in many cell types. TGF beta 1 has been shown to interact with TGF beta receptor 1, Decorin, LTBP1 and so on. Thus we have conducted a binding ELISA assay to detect the interaction of recombinant human TGF-beta1 with recombinant human LTBP1. Briefly, TGF-beta1 were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100 µl were then transferred to LTBP1-coated microtiter wells and incubated for 2h at 37C. Wells were washed with PBST and incubated for 1h with anti-LTBP1 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37C. Finally, add 50 µl stop solution to the wells and read at 450nm immediately. The binding activity of TGF-beta1 with LTBP1 was in a dose dependent manner.
-------------------	--