

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Luteinizing Hormone beta Antibody, Clone: [LHb/1214], Mouse, Monoclonal NSJ-V2684-20UG

| | |
|----------------------------|---|
| Article Name | Luteinizing Hormone beta Antibody, Clone: [LHb/1214], Mouse, Monoclonal |
| Biozol Catalog Number | NSJ-V2684-20UG |
| Supplier Catalog Number | V2684-20UG |
| Alternative Catalog Number | NSJ-V2684-20UG |
| Manufacturer | NSJ Bioreagents |
| Host | Mouse |
| Category | Antikörper |
| Application | IHC-P |
| Species Reactivity | Human |
| Immunogen | Recombinant beta sub-unit of human LH was used as the immunogen for the Luteinizing Hormone beta antibody. |
| Product Description | Luteinizing hormone (LH) is a glycoprotein. Each monomeric unit is a sugar-like protein molecule, two of these make the full, functional protein. Its structure is similar to the other glycoproteins, follicle-stimulating hormone (FSH), thyroid-stimula... |
| Clonality | Monoclonal |
| Clone Designation | [LHb/1214] |
| UniProt | P01229 |
| Purity | Protein G affinity chromatography |

| | |
|--------------------|--|
| Form | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide |
| Antibody Type | Primary Antibody |
| Application Dilute | Immunohistochemistry (FFPE): 1-2ug/ml for 30 min at RT |
| Application Notes | Optimal dilution of the Luteinizing Hormone beta antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min |