

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Carbonic Anhydrase 9 Antibody, Clone: [PN-15], Mouse, Monoclonal NSJ-V2939SAF-100UG

Article Name	Carbonic Anhydrase 9 Antibody, Clone: [PN-15], Mouse, Monoclonal
Biozol Catalog Number	NSJ-V2939SAF-100UG
Supplier Catalog Number	V2939SAF-100UG
Alternative Catalog Number	NSJ-V2939SAF-100UG
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	FACS, IF, IHC-P, WB
Species Reactivity	Human
Immunogen	The microsomal fraction of human renal cortical tissue homogenate was used as the immunogen for the Carbonic Anhydrase 9 antibody.
Product Description	Recognizes a glycoprotein identified as carbonic anhydrase IX (CAIX/CA9). Its epitope resides in the carbohydrate domain of CA9. It shows no significant cross-reactivity with other carbohydrate determinants, such as the Lewis blood group antigens, ep...
Clonality	Monoclonal
Clone Designation	[PN-15]
UniProt	Q16790
Purity	Protein G affinity chromatography
Form	1 mg/ml in 1X PBS, BSA free, sodium azide free

Antibody Type	Primary Antibody
Application Dilute	Flow cytometry: 0.5-1ug/10 ⁶ cells, Immunofluorescence: 1-2ug/ml, Western blot: 0.5-1ug/ml, Immunohistochemistry (FFPE): 0.5-1ug/ml for 30 min at RT
Application Notes	Optimal dilution of the Carbonic Anhydrase 9 antibody should be determined by the researcher. 1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min. 2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.