

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

CD30 Antibody Cocktail, Clone: [Ber-H2 + CD30/412], Mouse, Monoclonal NSJ-V2994S-0.5ML

Article Name	CD30 Antibody Cocktail, Clone: [Ber-H2 + CD30/412], Mouse, Monoclonal
Biozol Catalog Number	NSJ-V2994S-0.5ML
Supplier Catalog Number	V2994S-0.5ML
Alternative Catalog Number	NSJ-V2994S-0.5ML
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	IHC-P
Species Reactivity	Human
Immunogen	A Co cell line established from a patient with Hodgkins disease of T-cell lineage (Ber-H2) and human recombinant protein (CD30/412) were used as the immunogen for the CD30 antibody cocktail.
Product Description	Recognizes a single chain glycoprotein of 105/120kDa, identified as CD30/Ki-1. CD30 is synthesized as a 90kDa precursor, which is processed in the Golgi complex into a membrane-bound phosphorylated mature 105/120kDa glycoprotein. In Hodgkins disease,...
Clonality	Monoclonal
Clone Designation	[Ber-H2 + CD30/412]
UniProt	P28908

Purity	Unpurified high titer supernatant
Form	Bioreactor concentrate with 0.05% sodium azide
Antibody Type	Primary Antibody
Application Dilute	Immunohistochemistry (FFPE): 1:100-1:200 for 30 min at RT (1)
Application Notes	Optimal dilution of the CD30 antibody cocktail should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min.