

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### CD59 Antibody, Clone: [MACIF/629], Mouse, Monoclonal NSJ-V3022IHC-7ML

Article Name	CD59 Antibody, Clone: [MACIF/629], Mouse, Monoclonal
Biozol Catalog Number	NSJ-V3022IHC-7ML
Supplier Catalog Number	V3022IHC-7ML
Alternative Catalog Number	NSJ-V3022IHC-7ML
Manufacturer	NSJ Bioreagents
Host	Mouse
Category	Antikörper
Application	IHC-P
Species Reactivity	Human
Immunogen	Recombinant full-length human protein was used as the immunogen for the CD59 antibody.
Product Description	Reacts with human CD59, a 20kDa glycosyl phosphatidyl-inositol (GPI)-anchored cell surface protein. CD59 regulates complement-mediated cell lysis, and it is involved in lymphocyte signal transduction. This protein is a potent inhibitor of the complem...
Clonality	Monoclonal
Clone Designation	[MACIF/629]
UniProt	<a href="#">P13987</a>
Purity	Protein G affinity chromatography

Form	Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only*
Antibody Type	Primary Antibody
Application Dilute	The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.
Application Notes	Optimal dilution of the CD59 antibody should be determined by the researcher.1. Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min.2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.