

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Recombinant TOP1MT Antibody, Clone: [TOP1MT/2883R], Rabbit, Monoclonal NSJ-V3968IHC-7ML

| | |
|----------------------------|---|
| Article Name | Recombinant TOP1MT Antibody, Clone: [TOP1MT/2883R], Rabbit, Monoclonal |
| Biozol Catalog Number | NSJ-V3968IHC-7ML |
| Supplier Catalog Number | V3968IHC-7ML |
| Alternative Catalog Number | NSJ-V3968IHC-7ML |
| Manufacturer | NSJ Bioreagents |
| Host | Rabbit |
| Category | Antikörper |
| Application | IHC-P |
| Species Reactivity | Human |
| Immunogen | Recombinant full-length human protein was used as the immunogen for the recombinant TOP1MT antibody. |
| Product Description | DNA topoisomerases are nuclear enzymes that regulate the topological structure of DNA in eukaryotic cells by transiently breaking and rejoining DNA strands. Due to their roles in DNA replication, recombination, and transcription, DNA topoisomerases h... |
| Clonality | Monoclonal |
| Clone Designation | [TOP1MT/2883R] |
| UniProt | Q969P6 |

| | |
|--------------------|---|
| Purity | Protein A affinity chromatography |
| Form | Prediluted in 1X PBS, 0.1 mg/ml BSA (US sourced), 0.05% sodium azide, *For IHC use only* |
| Antibody Type | Primary Antibody |
| Application Dilute | The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |
| Application Notes | Optimal dilution of the recombinant TOP1MT antibody should be determined by the researcher.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min. |