

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Anti-NSDHL Antibody Picoband, Rabbit, Polyclonal BOB-A04902-1-CARRIER-FREE

| | |
|----------------------------|--|
| Article Name | Anti-NSDHL Antibody Picoband, Rabbit, Polyclonal |
| Biozol Catalog Number | BOB-A04902-1-CARRIER-FREE |
| Supplier Catalog Number | A04902-1-carrier-free |
| Alternative Catalog Number | BOB-A04902-1-CARRIER-FREE-100UG |
| Manufacturer | Boster Bio |
| Host | Rabbit |
| Category | Antikörper |
| Application | ELISA, FC, IF, IHC, IP, WB |
| Species Reactivity | Human, Mouse, Rat |
| Immunogen | E.coli-derived human NSDHL recombinant protein (Position: E7-K373). Human NSDHL shares 83.4% and 87.3% amino acid (aa) sequence identity with mouse and rat NSDHL, respectively. |
| Product Description | Boster Bio Anti-NSDHL Antibody Picoband catalog A04902-1. Tested in WB, IHC, IF, IP, Flow Cytometry, ELISA applications. This antibody reacts with Human, Mouse, Rat. The brand Picoband indicates this is a premium antibody that guarantees superior qu... |
| Clonality | Polyclonal |
| Concentration | Adding 0.2 ml of distilled water will yield a concentration of 500 µg/ml. |
| Molecular Weight | Observed Molecular Weight: 38 kDa. Calculated Molecular Weight: 42 kDa |

| | |
|--------------------|---|
| NCBI | 50814 |
| UniProt | Q15738 |
| Buffer | Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na ₂ HPO ₄ . |
| Purity | Immunogen affinity purified. |
| Form | Lyophilized |
| Target | Sterol-4-alpha-carboxylate 3-dehydrogenase, decarboxylating |
| Application Dilute | Western blot, 0.25-0.5 µg/ml, Human, Mouse, Rat Immunohistochemistry (Paraffin-embedded Section), 2-5 µg/ml, Human, Rat Immunofluorescence, 5 µg/ml, Human Immunoprecipitation, 0.5-2 µg/ml, Human Flow Cytometry (Fixed), 1-3 µg/1x10 ⁶ cells, Human ELISA, 0.1 |