

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

## Product Datasheet

### **Goat anti-Human IgG (H&L), F(ab)2 fragment, TRITC conjugated, min, cross-reactivity to bovine,mouse,rabbit serum, Polyclonal AGR-AS10-1157**

|                            |                                                                                                                                                                                                                                                              |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Name               | Goat anti-Human IgG (H&L), F(ab)2 fragment, TRITC conjugated, min, cross-reactivity to bovine,mouse,rabbit serum, Polyclonal                                                                                                                                 |
| Biozol Catalog Number      | AGR-AS10-1157                                                                                                                                                                                                                                                |
| Supplier Catalog Number    | AS10-1157                                                                                                                                                                                                                                                    |
| Alternative Catalog Number | AGR-AS10-1157                                                                                                                                                                                                                                                |
| Manufacturer               | Agrisera                                                                                                                                                                                                                                                     |
| Host                       | Goat                                                                                                                                                                                                                                                         |
| Category                   | Antikörper                                                                                                                                                                                                                                                   |
| Conjugation                | tritic                                                                                                                                                                                                                                                       |
| Product Description        | Goat anti-human IgG (H&L), Rhodamine (TRITC-tetramethylrhodamine-5-isothiocyanate) conjugated, is a F(ab)2 fragment,of a secondary antibody which binds to human IgGs in immunological assasy. TRITC has Amax = 550 nm, Emax = 570 nm. Antibodies are ads... |
| Clonality                  | Polyclonal                                                                                                                                                                                                                                                   |
| Purity                     | Immunogen affinity purified IgG.                                                                                                                                                                                                                             |
| Form                       | Liquid                                                                                                                                                                                                                                                       |
| Antibody Type              | Polyclonal Antibody                                                                                                                                                                                                                                          |
| Application Dilute         | The optimal working dilution should be determined by the investigator,                                                                                                                                                                                       |