

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat anti Dog IgM (Fc specific), conjugated with FITC, Clone: [Polyclonal], Monoclonal NMB-GAD/IGM(FC)/FITC

Artikelname	Goat anti Dog IgM (Fc specific), conjugated with FITC, Clone: [Polyclonal], Monoclonal
Artikelnummer	NMB-GAD/IGM(FC)/FITC
Hersteller Artikelnummer	GAD/IgM(Fc)/FITC
Alternativnummer	NMB-GAD/IGM(FC)/FITC
Hersteller	NordicMubio
Wirt	Goat
Kategorie	Antikörper
Spezies Reaktivität	Canine
Konjugation	FITC
Format	IgG
Spezifität	IgM (μ)
Minimale Kreuzreaktivität (MinX)	no cross-adsorbtion
Produktbeschreibung	The reactivity of the antiserum is directed to the Fc subunit of the IgM molecule, which expresses strict (class) specificity. In immunoelectrophoresis and radial in immunodiffusion using various antiserum concentrations against dog serum, a single p...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]

Puffer	FITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun down
Quelle	Purified IgM isolated from dog serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Formulierung	FITC
Formel	FITC-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.
Antibody Type	Secondary Antibody
Anwendungsbeschreibung	ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence.