

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Ep-CAM / CD326 (Extracellular Domain) (Epithelial Marker) Antibody, IgG2b, Clone: [EGP40/1798], Mouse, Monoclonal NBT-4072-MSM18-P0

Artikelname	Ep-CAM / CD326 (Extracellular Domain) (Epithelial Marker) Antibody, IgG2b, Clone: [EGP40/1798], Mouse, Monoclonal
Artikelnummer	NBT-4072-MSM18-P0
Hersteller Artikelnummer	4072-MSM18-P0
Alternativnummer	NBT-4072-MSM18-P0-20,NBT-4072-MSM18-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	ELISA, FC, IF, IHC, WB
Spezies Reaktivität	Canine, Feline, Human
Immunogen	Recombinant fragment from the extracellular domain of human EpCAM protein (around aa100-224) (exact sequence is proprietary)
Produktbeschreibung	EGP40 is a 40-43kDa transmembrane epithelial glycoprotein, also identified as epithelial specific antigen (ESA), or epithelial cellular adhesion molecule (Ep-CAM). It is expressed on baso-lateral cell surface in most simple epithelia and a vast major...
Klonalität	Monoclonal
Klon-Bezeichnung	[EGP40/1798]
Molekulargewicht	40-43kDa

Isotyp	IgG2b
NCBI	4072
UniProt	P16422
Formulierung	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	ELISA (Use Ab at 2-4ug/ml for coating) (Order Ab without BSA), ,Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), ,Immunohistochemistry (Formalin-fixed) (0.5-2ug/ml for 30 minutes at RT),(Staining of formalin-f