

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Langerin / CD207 (Marker of Langerhans Cells)(LGRN/1821), CF640R conjugate, 0.1mg/mL, Clone: [LGRN/1821], Mouse, Monoclonal BOT-BNC401821-500**

Artikelname	Langerin / CD207 (Marker of Langerhans Cells)(LGRN/1821), CF640R conjugate, 0.1mg/mL, Clone: [LGRN/1821], Mouse, Monoclonal
Artikelnummer	BOT-BNC401821-500
Hersteller Artikelnummer	BNC401821-500
Alternativnummer	BOT-BNC401821-500-500UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Spezies Reaktivität	Human
Immunogen	Recombinant fragment (around aa74-213) of human Langerin protein (exact sequence is proprietary)
Konjugation	CF640R
Produktbeschreibung	Langerhans cells (LCs) are a subset of immature dendritic cells (DCs) that specifically localize in the epidermis and other mucosal epithelia. Epidermal LCs possess strong immuno-stimulatory capacity and play a central role in the initiation and regu...
Klonalität	Monoclonal
Konzentration	0.1 mg/mL
Klon-Bezeichnung	[LGRN/1821]

Molekulargewicht	48 kDa
UniProt	<a href="#">Q9UJ71</a>
Puffer	PBS, 0.1% BSA, 0.05% azide
Quelle	Animal
Anwendungsbeschreibung	For coating for ELISA, order Ab without BSA Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Optimal dilution and staining procedure for a specific application should be determined by user Recommended starting concentrations for titration are 1-2 ug/mL for most applications, or 1 ug/million cells/100 uL for flow cytometry