

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

NSE gamma (Neuron Specific Enolase, gamma) (Neuroendocrine Marker) (ENO2/1375), 1mg/mL, IgG2b, Clone: [ENO2/1375], Mouse, Monoclonal BOT-BNUM1375-50

Artikelname	NSE gamma (Neuron Specific Enolase, gamma) (Neuroendocrine Marker) (ENO2/1375), 1mg/mL, IgG2b, Clone: [ENO2/1375], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1375-50
Hersteller Artikelnummer	BNUM1375-50
Alternativnummer	BOT-BNUM1375-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human, Mouse, Rat
Immunogen	A synthetic peptide corresponding to aa416-433 of human NSE gamma (exact sequence is proprietary)
Produktbeschreibung	This antibody recognizes a protein of about 50 kDa, which is identified as gamma-enolase. Three isoenzymes of enolases are identified, alpha, beta and gamma. Alpha-isoform is expressed in most tissues, whereas beta-form is expressed predominantly in ...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[ENO2/1375]

Molekulargewicht	~50 kDa
Isotyp	IgG2b
UniProt	P09104
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 1-2 ug/mL Immunohistology (formalin) 0.1-0.2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user