

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MCM7 (Proliferation Marker) (MCM7/1466), 1mg/mL, IgG2b, Clone: [MCM7/1466], Mouse, Monoclonal BOT-BNUM1466-50

Artikelname	MCM7 (Proliferation Marker) (MCM7/1466), 1mg/mL, IgG2b, Clone: [MCM7/1466], Mouse, Monoclonal
Artikelnummer	BOT-BNUM1466-50
Hersteller Artikelnummer	BNUM1466-50
Alternativnummer	BOT-BNUM1466-50-50UL
Hersteller	Biotium
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC, WB
Spezies Reaktivität	Human
Immunogen	Recombinant human MCM7 protein fragment (aa195-319) (exact sequence is proprietary)
Produktbeschreibung	MCM7 is one of the highly conserved mini-chromosome maintenance proteins (MCM) that is essential for the initiation of eukaryotic genome replication. The hexameric protein complex formed by the MCM proteins is a key component of the pre-replication c...
Klonalität	Monoclonal
Konzentration	1 mg/mL
Klon-Bezeichnung	[MCM7/1466]

Molekulargewicht	88 kDa
Isotyp	IgG2b
UniProt	P33993
Puffer	PBS, no BSA, no azide
Quelle	Animal
Anwendungsbeschreibung	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody Immunofluorescence: 0.5-1 ug/mL Immunohistology (formalin) 1-2 ug/mL Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 min Flow Cytometry 0.5-1 ug/million cells/0.1 mL Western blotting 0.5-1 ug/mL Optimal dilution for a specific application should be determined by user