

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Sheep anti Human inter alpha trypsin inhibitor, Clone: [Polyclonal], Monoclonal NMB-SHAHU/IATI

Artikelname	Sheep anti Human inter alpha trypsin inhibitor, Clone: [Polyclonal], Monoclonal
Artikelnummer	NMB-SHAHU/IATI
Hersteller Artikelnummer	ShAHu/IATI
Alternativnummer	NMB-SHAHU/IATI
Hersteller	NordicMubio
Wirt	Sheep
Kategorie	Antikörper
Produktbeschreibung	The reactivity of the antiserum is restricted to inter alpha trypsin inhibitor. In immunoelectrophoresis and radial immunodiffusion, using various antiserum concentrations against human plasma a single precipitin line is obtained and shows a reacti...
Klonalität	Monoclonal
Klon-Bezeichnung	[Polyclonal]
Puffer	Delipidated, heat inactivated, lyophilized, stable IgG fraction in diluted normal serum. No preservative added. IgG fraction 13 mg/ml in normal sheep serum diluted 1/2 with PBS. No foreign proteins added. Reconstitute the lyophilized antiserum by adding

Quelle	Inter alpha trypsin inhibitor is a proteinase inhibitor with a molecular weight of 160,000. Its mean concentration in human plasma is about 400 µg/ml. It has been isolated as a homogenous protein for use in the antiserum production. Freund's complete adjuv
Formel	Delipidated, heat inactivated, lyophilized, stable IgG fraction in _ diluted normal serum. No preservative added. IgG fraction 13 mg/ml in normal sheep serum diluted 1/2 with PBS. No foreign proteins added.
Anwendungsbeschreibung	Precipitation assays. In immunoelectrophoresis in agarose-plates use 2 µl human plasma or equivalent against 120 µl antiserum. In double radial immunodiffusion use a rosette arrangement with 10 µl anti-serum in 3 mm diameter center well and 2 µl plasma samples (neat and serially diluted) in 2 mm diameter peripheral wells. In electroimmunodiffusion (Laurell) use a concentration of 1% of the antiserum in the gel.