

Please note: This document was created automatically and is not a substitute for the manufacturer's original document.

Product Datasheet

Rabbit anti Mouse IgG1 IgG2a IgG2b IgG3 (Fc specific), conjugated with Biotin, Clone: [Polyclonal], Monoclonal NMB-RAM/IGG(FC)/BIO

Article Name	Rabbit anti Mouse IgG1 IgG2a IgG2b IgG3 (Fc specific), conjugated with Biotin, Clone: [Polyclonal], Monoclonal
Biozol Catalog Number	NMB-RAM/IGG(FC)/BIO
Supplier Catalog Number	RAM/IgG(Fc)/Bio
Alternative Catalog Number	NMB-RAM/IGG(FC)/BIO
Manufacturer	NordicMubio
Host	Rabbit
Category	Antikörper
Species Reactivity	Mouse
Conjugation	Biotin
Format	IgG
Target Specificity	IgG (Fc)
Cross-Adsorption (MinX)	Bovine,Feline,Gallus,Canine,Goat,Equine,Human,Monkey,Sheep,Porcine
Product Description	The reactivity of the antiserum is directed to the Fc subunit of the IgG molecule. The antiserum contains antibodies to subclass-specific determinants as well as to determinants shared by two or more subclasses of IgG. In immunoelectrophoresis and do...
Clonality	Monoclonal
Clone Designation	[Polyclonal]

Buffer	Biotin-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. IgG protein concentration 10 mg/ml. Biotin/IgG protein molar ratio
Source	Purified normal IgG, including all known subclasses, isolated from pooled mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Form	Biotin
Formula	Biotin-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. IgG protein concentration 10 mg/ml. Biotin/IgG protein molar ratio
Antibody Type	Secondary Antibody
Application Notes	ELISA, Immunocytochemistry, Immunohistochemistry (paraffin), Dot blot, Immunoblotting.